



चौविसे गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय

राजारानी, धनकुटा

कृषि विकास शाखा

प.सं. :- ०८३/०८४

च.नं.:-



कोशी प्रदेश, नेपाल

सूचना प्रकाशित मिति: २०८३/०६/२७

विषय:- मूल्य सूची सम्बन्धमा ।

श्री फर्म, कम्पनी तथा सप्लायर्सहरु ।

प्रस्तुत विषयमा चौविसे गाउँपालिका कृषि विकास शाखा राजारानीको चालु आ.व २०८३/०८४ को स्वीकृत वार्षिक कार्यक्रम अनुरूप तपशिल अनुसारको स्पेसिफिकेशन भएको मिनिटिलर खरिद गर्नु पर्ने भएकोले दररेट निर्धारण प्रयोजनका लागि उल्लेखित सामाग्री आपूर्ति गर्ने फर्म, कम्पनी, सप्लायर्सहरुले यो सूचना प्रकाशित भएको मितिले ५ (पाँच) दिन भित्र चौविसे गाउँपालिका कृषि विकास शाखाको gmail id : chaubisekrisi@gmail.com मा दररेट उपलब्ध गराईदिनु हुन सम्बन्धित सबैको जानकारीका लागि यो सूचना प्रकाशित गरिएको छ ।

क्र.सं.	सामाग्रीको नाम	इकाई	परिमाण	रकम	कैफियत
१	मिनिटिलर 7HP	१	१	रु	
२	मिनिटिलर 5HP	१	१	रु	

रिता खतिवडा

प्रमुख प्रशासकिय अधिकृत


प्रमुख प्रशासकीय अधिकृत

Email: chaubisegapa@gmail.com

फोन नं. ०२६-४९९०३९/०२६-४९९०३२/४९९०३३, मोबाइल नं. ९८५२०६२४०२
'मनोरम प्रकृति, पर्यटकीय स्थल चौविसेको सान - सुशासन सहितको दिगो विकास, हाम्रो साझा अभियान'


Specification Of Mini Tiller(≥ 7 HP)

S.N	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1.	General	Tiller Suitable for ploughing field at suitable altitude and in ambient temperature -5 to 50 degree centigrade. vehicle weight shall not be less than 80 kg. fuel tank capacity should not be less than 3 Litre.	
2.	Engine	4 stroke, air cooled, single cylinder, diesel engine, developing max power output at rated RPM shall be fully equipped with accessories for efficient full load operation of the Tiller.	
3.	Gauges	To include gauges as necessary for efficient operation and maintenance.	
4.	Min No. of blades	≥ 32	
5.	Transmission	At least 2 forward and 1 reverse	
6.	Tilling depth	≥ 100 mm	
7.	Tilling width	≥ 750 mm	
8.	Tyres	Standard	
9.	Starting	Electric/manual or Both	
10.	Color	Standard	
11.	Tools	A set of tools for general maintenance should be supplied.	
12.	Manuals	One Copy of the operator's and owner's Instructions manual in English shall be supplied.	
13.	Proven Performance	The tiller offered shall be standard production by manufacturer and should be current model.	
14.	Warranty	Manufacture shall provide a minimum of One year warranty after acceptance.	
15.	delivery	Chaubise Gaupalika, Dhankuta	


 Name: Er. Durga Acharya
 Mechanical Engineer
 NEC NO: 3530

Specification For Mini Tiller(≥ 5 HP)

S.N	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1.	General	Tiller Suitable for ploughing field at suitable altitude and in ambient temperature -5 to 50 degree centigrade. vehicle weight shall not be less than 70 kg. fuel tank capacity should not be less than 2.5 Litre.	
2.	Engine	4 stroke, air cooled, single cylinder, diesel engine, developing max power output at rated RPM shall be fully equipped with accessories for efficient full load operation of the Tiller.	
3.	Gauges	To include gauges as necessary for efficient operation and maintenance.	
4.	Min No. of blades	≥ 24	
5.	Transmission	At least 2 forward and 1 reverse	
6.	Tilling depth	≥ 75 mm	
7.	Tilling width	≥ 500 mm	
8.	Tyres	Standard	
9.	Starting	Electric/manual or Both	
10.	Color	Standard	
11.	Tools	A set of tools for general maintenance should be supplied.	
12.	Manuals	One Copy of the operator's and owner's Instructions manual in English shall be supplied.	
13.	Proven Performance	The tiller offered shall be standard production by manufacturer and should be current model.	
14.	Warranty	Manufacture shall provide a minimum of One year warranty after acceptance.	
15.	delivery	Chaubise Gaupalika, Dhankuta	


 Name: Er. Durga Acharya
 Mechanical Engineer
 MEC NO: 3530